

Composition	Contents (w/w)
Lambda-cyhalothrin (a.i.)	9.5 % w/w
Thiamethoxam (a.i.)	12.6 % w/w
Octadecanoic acid, 12-hydroxy-, homopolymer, octadecanoate (Polymer)	0.8 % w/w
Styrylphenol polyethoxyester phosphate	1.17 % w/w
Sodium lignosulfonate ethoxylated	1.17 % w/w
Ammonia	0.25 % w/w
Sulfuric acid	0.54 % w/w
Lignosulfonate sodium salts	1.04 % w/w
Polydimethylsiloxane	0.10 % w/w
Copolymer butanol	0.50 % w/w
Dodacylbenzenesulfonic acid, sodium salt	0.17 % w/w
DL-propanediol-(1,2)	0.20 % w/w
Propane-1,2,3-triol	5.84 % w/w
Heteropolysaccharide	0.20 % w/w
1,2-benzisothiazolin-3-one	0.28 % w/w
Titanium dioxide	0.99 % w/w
Isocyanic acid, methylm-phenylene ester	1.58 % w/w
Mixture of aromatic hydrocarbons (Solvent C-9)	7.76 % w/w
Water	QS % w/w
Total	100 % w/w

Direction Of Use

Thiamethoxam 12.6% + lambda-cyhalothrin 9.5% zc is an not to be crops when honey bees are pollinators/foraging. This product toxic to fish.

Precautions: As in leaflets.

Antidote: No specific antidote is known. Apply symptomatic therapy

First Aid: 1. Remove the affected person from the danger zone to a well-ventilated area or to fresh air and protect him from under cooling. 2. In case of suspected poisoning: immediately call a physician. 3. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact: Rinse eyes with clean water for several minutes and immediately call a physician. In case of ingestion: Repeatedly administer medicinal charcoal in a large quantity of water. 4. Note: Never give anything by mouth to an unconscious person. Do not induce vomiting.

Symptoms: poisoning symptoms in rodents are non-specific, may cause symptoms of ataxia, salivation, lachrymation and decreased breathing etc.

Recommendations: As in Direction for use.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati. 444701

Customer Care No. 0721-2992244

pckvkda2015@gmail.com



CIR-273272/2023-Thiamethoxam + Lambda-Cyhalothrin (ZC) (444)-908 Thiamethoxam 12.6% + LambdaCyhalothrin 9.5% ZC for indigenous manufacture (Systemic and Contact Insecticide)

थायामेथोक्सम 12.6 प्रतिशत + लॅम्बडा-
सायहॅलोथ्रिन 9.5 प्रतिशत झेड. सी.
(अंतर्प्रवाही एवं स्पर्शीय कीटनाशक)

SADHANA
ALiCO

Chemical Composition

Lambda-cyhalothrin (a.i.)	9.5 % w/w
Thiamethoxam (a.i.)	12.6 % w/w
Water	QS.
(Details in Leaflet)	

Total 100% w/w

Keep in cool, dry place away from heat and open flame.
Keep out of reach of children.

* लॅम्बडा-सायहॅलोथ्रिन (a.i.) ९.५% भार/भार
* थायामेथोक्सम (a.i.) १२.६% भार/भार
* ऑक्टाडेकनोइक एसिड, १२-हायड्रॉक्सी-(पॉलिमर) ०.८% भार/भार
* स्टायरीलफेनॉल पॉलीथॉक्सीस्टर फॉस्फेट १.१७ % भार/भार
* सोडियम लिग्नोसल्फोनेट इथायॉक्सिलेटेड १.१७ % भार/भार
* अमोनिया ०.२५% भार/भार * सल्फ्यूरिक एसिड ०.५४% भार/भार
* लिग्नोसल्फोनेट सोडियम लवण १.०४ % भार/भार * पॉलीडिमैथिलसिलॉक्सेन ०.१०% भार/भार * कॉपोलिमर ब्यूटेनॉल ०.५० % भार/भार
* डोडीसिलबेन्जेनेसल्फोनिक एसिड, सोडियम मीठ ०.१७% भार/भार
* DL-propanediol-(1,2) ०.२० % भार/भार * प्रोपेन-१,२,३-ट्रायल ५.८४ % भार/भार
* हेटरोपोलिसैकेराइड ०.२०% भार/भार * १,२-बेंझिसोथियाझोलिन-३-वन ०.२८ % भार/भार
* टायर्टेनियम डायऑक्साइड ०.९९ % भार/भार
* आयसोसायनिक एसिड, मिथिलम-फेनिलिन एस्टर १.५८ % भार/भार
* सुगंधी हायड्रोकार्बन्सचे मिश्रण (विद्रावक -९) ७.७६ % भार/भार
* पाणी QS % w/w * एकूण १००% भार/भार

वापरण्याची दिशा - थायामेथोक्सम १२.६% + लॅम्बडा-सायहॅलोथ्रिन ९.५% झेडसी आहे. जेव्हा मधमाश्या परागकण/चारत असतात तेव्हा वापर करू नये. हे उत्पादन माशांसाठी विषारी आहे.

खबरदारी: पत्रकांप्रमाणे. उतारा : कोणताही विशिष्ट उतारा ज्ञात नाही. लक्षणात्मक थेरपी लागू करा
प्रथमोपचार : १. बाधित व्यक्तीला धोक्याच्या क्षेत्रापासून दूर करा व हवेशेरी ठेवा. २. संशयास्पद विषबाधा झाल्यास: ताबडतोब डॉक्टरांना कॉल करा. ३. त्वचेची संपर्क झाल्यास: दूषित कपडे काढून टाका आणि शरीराचे प्रभावित भाग साबणाने आणि पाण्याने पूर्णपणे धुवा. डोळ्यांच्या संपर्कात आल्यास: काही मिनिटे डोळे पाण्याने स्वच्छ धुवा आणि ताबडतोब डॉक्टरांना बोलवा. अंतर्ग्रहणाच्या बाबतीत: औषधी चारकोल मोठ्या प्रमाणात पाण्यात वारंवार घा. ४. टीप: कधीही काहीही देऊ नका बेशुद्ध व्यक्तीचे तोंड. उलट्या प्रवृत्त करू नका. लक्षणे उद्दीर्गमध्ये विषबाधाची लक्षणे विशिष्ट नसतात, ज्यामुळे अँटिक्सिया, लाळ येणे, लॅक्रिमेशन आणि श्वासोच्छवास कमी होणे इत्यादी लक्षणे होऊ शकतात. शिफारशी वापरासाठी निर्देशानुसार.



Lic. No. LCIM0420220035

Batch No. : SAL-01

Date of Mfg. :

Exp. Date : Best Before 2 Year from Mfg.

Net content Value : 500 ml.

M.R.P. Rs. : 2350/-

(Inclusive of all Taxes)

Shake Well before use.





SADHANA

Alite

FOSETYL-AL 80% WP


KRISHI VIGYAN KENDRA



SYSTEMIC FUNGICIDE

Chemical Composition : Ethoxylate Phenol 2.50 % w/w, Silica 2.50 % w/w, Alcohol ethoxylate 1.50 % w/w, Fosetyl-Aluminium (A.I.) 80.00 % w/w, Sodium Lignosulphonate 3.00 % w/w, Fatty Alcohol 1.00 % w/w, China Clay QS % w/w, Total 100 % w/w. **Direction Of Use :** Wear protective clothing, head dress and face mask, for crops and doses, see leaflet enclosed. **Precautions :** 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **First Aid :** 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air. Symptoms Headache, dizziness, nausea, vomiting, tremors may occur. **Recommendations :** It is recommended for the control of downy mildew disease of grape vine and Azukhal & damping off diseases of cardmom crops.

KEEP OUT OF THE
REACH OF CHILDREN
आवाज की पहुँच से दूर रखें
बच्चों की पहुँच से दूर रखें
मुलांपासून दूर ठेवा



పెద్దలకు అందరూ
దూరంగా వుంచవలెను.
సాబున శుభ్రపరిచి
దూరదూరమున ఉంచుట
వలెను. దీని పురుగు బీజులను
వదిలించుకోవలెను.



Regd. No. : CIR-274636/2023-Fosetyl-Al (WP) (444)-55
Mfg. Lic. No. : LCIM0420220035

WARRANTY : Since the use of the product is beyond our control. We cannot assume any responsibility other the uniform quality of the product.

WARNING : Do not use near water sources.

KEEP IN COOL, DRY PLACE AWAY FROM HEAT AND OPEN FLAME.

सूखी और ठंडी जगह पर आग से दूर रखें ।

Manufacture & Marketed by :

KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati-444701.
Customer Care : 0721-2992244
E-mail : pckvkda2015@gmail.com



NET CONTENT : 1 Kg.

Batch No. :

बैच नंबर

Mfg. Date :

उत्पादन तिथि

Exp. Date :

अंतिम तिथि

M.R.P. Rs. :

(Incl. of all taxes)

अधिकतम खुदरा मूल्य

USP/GM Rs. :

एम्प्टी पैकेज/कंटेनरों को उपयोग के बाद नष्ट कर दिया जाना चाहिए

EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE

अधिकतम खुदरा मूल्य रु. (सभी करा सहित)
Net Weight/ शुद्ध भार : 250 g.

1 Chlorantraniliprole a.i.	: 9.30 % w/w
2 Lambdacyhalothrin a.i.	: 4.60 %w/w
3 Wetting and Dispersing agents: Tristyrylphenol polyethoxyester phosphate	: 3.70 % w/w
4 Sodium lignosulphate	: 0.93 %w/w
5 Emulsifiers: Solution of an acrylic graft copolymer in water and propylene glycol	: 1.85 % w/w
6 Copolymer butanol PO/EO	: 0.24 % w/w
7 Dodecylbenzenesulfonic acid sodium salt	: 0.08 % w/w
8 Fatty acids, polycondensed	: 0.41 % w/w
9 Thickeners: Magnesium aluminium silicate dispersion	: 3.24 % w/w
10 Linear polysaccharides	: 0.29 % w/w
11 Preservative 1,2-benzisothiazol-3-one	: 0.23 % w/w
12 Antifreeze: DLpropanediol-(1,2)	: 6.52 % w/w
13 Antifoaming agent: Polydimethyl siloxane	: 0.19 % w/w
14 Silicone emulsion	: 0.02 % w/w
15 Stabiliser: Lignosulfonic acid, sodium salt, sulfomethylated	: 0.51 % w/w
16 Buffers: Potassium hydroxide	: 0.09 % w/w
17 Sulfuric acid	: 0.27 % w/w
18 Ammonia	: 0.12 % w/w
19 Pigment: Titanium dioxide	: 0.49 % w/w
20 Capsule wall: Poly urea	: 0.77 % w/w
21 Solvents: Solvent Naphtha	: 3.79 % w/w
22 Water	: Q.S. %
Total	: 100 % w/w

Direction Of Use : Please read enclosed leaflet before use.

Precautions : Please read enclosed leaflet before use.

Antidote : No specific antidote is known. Apply symptomatic therapy.

First Aid : Remove the affected person to a well ventilated area to fresh air and protect him from under cooling. Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. Rinse eyes with clean water for several minutes. If ingested, have the person sig a glass of water if able to swallow. Get the attention of the medical doctor immediately.

Note: Do not induce vomiting or never give anything by mouth to an unconscious person. **Symptoms :** Poisoning symptoms are non specific. This product is toxic to fish and honeybee. **Recommendations :** Lambdacyhalothrin 4.6% + Chlorantraniliprole 9.3% zc is an insecticide recommended for the control of podborer in pigeon pea and bollworm complex in cotton. Store away from sun and damp in a well ventilated area apart from food and feed under lock and key.

Keep in cool, dry place away from heat and open flame. | Keep out of reach of children.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati. 444701
Customer Care No. 0721-2992244
pckvkda2015@gmail.com



CIR-272440/2023-Chlorantraniliprole + Lambdacyhalothrin (ZC) (444)-285 Chlorantraniliprole 9.3% + Lambdacyhalothrin 4.6% ZC (Insecticide)

क्लोरेनट्रोनिप्रोल ९.३% +
लैम्बडास्योहेलोथरीन ४.६% जैड सी. कीटनाशक

ASADHANA Ampligor

बच्चों की पहुँच से दूर रखें
Keep out of reach of children.
सूखी और ठण्डी जगह पर आग से दूर रखें
Keep in cool, dry place away from heat &
Open Flame



रासायनिक संरचना

१ क्लोरिनट्रोनिप्रोल स.त. ९.३०% भार/भार २. लैम्बडास्योहेलोथरीन स.त. ४.६०% भार/भार
३ वेटींग अँड डिस्पर्सिंग एजेंट : ट्रिस्टायराइलफिनोल पोलिइथॉक्सिएस्टर फॉस्फेट ३.७०% भार/भार
४ सोडियम लिग्निनसल्फोनेट ०.९३ % भार/भार
५ इमल्सिफायर : एकलिक ग्राफ्ट कोपोलिमर का घोल पानी व प्रोपायलीनग्लायकोल १.८५ % भार/भार
६ कोपोलिमर ब्यूटेनोल पीओ/ईओ ०.२४% भार/भार ७. डिसिसाइस बैन्जिनसल्फोनिक एसोडी सोडीयम लवन- ०.०८% भार/भार ८ फेटि एसिड पोलिकंडेन्सड ०.४१ % भार/भार
९ थिक्नर : मैग्नीशियम एल्युमिनियम सिलिकेट ३.२४% भार/भार
१० लिनिअर पोलिसैकोराईड ०.२९ % भार/भार ११. प्रिजर्वेटिव : १.२-वैन्जिसोथायोजील-३-एन : ०.२३% भार/भार
१२ एंटीफ्रिज : डी एल-प्रोपेनडाइल (१-२) ६.५२ % भार/भार
१३ एंटीफॉमिंग एजेंट : पोलिडाल्टरमिथाइल सिलोमेन ०.१९ % भार/भार
१४ सिलिकॉन इमल्शन ०.०२% भार/भार १५ स्टेबलाइजर : लिग्नोसल्फोनिक एसिड, सोडियम लवन सल्फोमिथाइलेट ०.५१ % भार/भार १६. बफरस : पोटेशियम हाइड्रोजेनसॉल्ट - ०.०९% भार/भार
१७ सल्फ्यूरिक एसिड ०.२७% भार/भार १८. अमोनिया ०.१२ % भार/भार
१९. पिगमेंट टाइटेनियम डायोक्साइड : ०.४९% २०. कैप्सुल वाल : पोलि युरिया : ०.७७%
२१. सॉल्वेन्ट : सॉल्वेन्ट नेफ्था : ३.७९% २२. पाणी QS % w/w एकूण १००% भार/भार
वापरण्याची दिशा - उपयोग के लिये संलग्न लीफलेट पढ़ें।

प्रयोगकर्ताओं के लिए खबरदारी : उपयोग के लिये संलग्न लीफलेट पढ़ें। **विषनाशक :** कोई विशेष विष प्रतिहार नहीं, लक्षण के अनुसार उपचार करें।

प्राथमिक चिकित्सा : रोगी को ताजी हवा में ले आये। प्रदूषित कपड़ों को उतार दें तथा उसका प्रभावित हिस्सा को साबुन और पानी से अच्छी तरह धो डालें। आँखों को स्वच्छ पानी से कई मिनटों तक छछपाइए। यदि निगल लिया: प्रभावित व्यक्ति अगर पानी निगल सके तो पानी दे और तुरन्त डॉक्टर को बुलायें। सूचना : यदि मरीज बेहोश हो तो मुँह से कुछ न दें। उल्टी कराने की कोशिश न करें।

लक्षण : विष का कोई निश्चित लक्षण दिखाई नहीं दिया है। यह उत्पादन मछली व मधुमक्खी के लिए हानिकारक है। उपयोग : क्लोरिनट्रोनिप्रोल ९.३% + लैम्बडास्योहेलोथरीन ४.६% जैड सी एक कीटनाशक है इसकी सिफारिश अरहर की फसल पर फली भेदक और कपास की फसल पर सुंड़ियों की रोकथाम के लिए की जाती है। घूप और नमी से दूर किसी हवादार जगह में खाद्य पदार्थ व चारी से अलग ताला लगाकर रखें।



Lic. No. LCIM0420220035

Batch No. : SAMP-01

Date of Mfg. :

Exp. Date : Best Before 2 year from Mfg.

Net content Value : 500 ml.

M.R.P. Rs. : ₹ 4930/-

(Inclusive of all Taxes)

USP Rs. : ₹ 9.86 Per ml.

Shake Well before use.

Chemical Composition

S.No	Ingredient	Description	Weight
1	Imidacloprid	(a.i.)	17.80% w/w
2	Non ionic emulsifier	(Ethoxylated Alkyl Aryl Phenol Derivative)	2.50 % w/w
3	Polyvinyl Pyrrolidone Copolymer		1.00 % w/w
4	Dimethyl Sulfoxide		38.40% w/w
5	N-Methyl Pyrodliidone		Q.5 % w/w
Total 100% w/w			

Direction Of Use : Please read enclosed leaflet before use.

Precautions : 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with eyes, mouth and skin. 3. Avoid inhalation the spray mist. spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and part of the body after spraying. 5. Do not smoke, drink eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

Antidote: No specific antidote. treat symptomatically.

First Aid: 1. If swallowed, induce vomiting by tickling the back of thro at. repeat it until the vomitus is clear. Do not induce vomiting if the patient unconscious. 2. If clothing and skin is contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.

Symptoms: Apathy, myotonia, tremor, difficult breathing, myospasms may occur.

Recommendations: It is a systemic insecticide used as a foliar spray for the control of aphid, Whitefly, Jassid, Thrips of Cotton, BPH, WBPH, GLH of rice and white fly of tomato, Termite of Sugarcane, hopper of Mango,jassid, thrips, white fly of sunflower, aphid, jassid, thrips of Okra, leaf minor, psylla of Citrus, aphid, jassid of Groundnut, flea beetle in Grapes and jassid, aphid, thrips of Chilli Crop.

Keep in cool,dry place away from heat and open flame. | Keep out of reach of children.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA

Durgapur, (Badnera), Dist. Amravati. 444701

Customer Care No. 0721-2992244

pckvkda2015@gmail.com



CIR-273251/2023-IMIDACLOPRID (SL) (444)-1251

IMIDACLOPRID 17.8% SL

(Systemic Insecticide)

इमिडैक्लोप्रिड १७.८ प्रतिशत एस.एल.

(अंतर्प्रवाही किटकनाशक)

SADHANA

MIDA

बच्चों की पहुँच से दूर रखें

Keep out of reach of children.

सूखी और ठण्डी जगह पर आग से दूर रखें

Keep in cool,dry place away from heat & Open Flame



POISON

रासायनिक संरचना

क्र.	घटक	विवरण	वजन
१	इमिडैक्लोप्रिड	सक्रिय तत्व	१७.८०% भार/भार
२	नान आयोनिक इमल्सिफायर	इथाक्सीलेटेड अल्काइल एराइल फिनॉल डेरिवेटिव	२.५० % भार/भार
३	पोलीविनायल पायरोलिडोन कोपालिमेर		१.०० % भार/भार
४	डाइमिथाइल सल्फोआक्साईड		३८.४०% भार/भार
५	एन-मिथाइल पायरोलिडोन		पर्याप्त मात्रा% भार/भार
कुल १००% भार/भार			

उपयोग के लिए दिशा-निर्देश :- उपयोग के लिये संलग्न लीफलेट पढ़ें।

प्रयोगकर्ताओं के लिए सावधानिया : छात्रागमारी के छात्रों, बर्तनों और पशुओं के बारे से दूर रखें। २. गृह, आँखों, त्वचा को संपर्क से बचावे। ३. छिड़काव की वाष्प को साँस द्वारा अन्दर जाने से बचावे। हवा की दिशा के छिड़काव करें। ४. छिड़काव के बाद दूधित कपड़े और शरीर के अंगों को अच्छी तरह धोएँ। ५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ बचाना नहीं चाहिए। ६. छिड़काव करते वा मिलाने समय पूर्ण सुरक्षात्मक कपड़े पहनें। **विषनाशक :** कोई विशेष विष प्रतिहार नहीं, लक्षण के अनुसार इलाज करें। **प्राथमिक चिकित्सा :** १. यदि निगल जाये तो गले के पिछे गुद्गुदी बनके उलटी कराएँ। यह क्रिया तब तक दोहराते रहे जब तक उलटी द्वारा निकला पदार्थ साफ न हो जाए। यदि मरीज बेहोश हो तो उलटी न करावें। २. यदि कपड़े और त्वचा दूधित हो जाए तो दूधित कपड़ों को उतार दें, दूधित त्वचा को काफी मात्रा में साबुन और पानी से धोएँ। ३. यदि आँखें दूधित हो जाए तो उनको काफी मात्रा में रीसाइन/साफ पानी में लगभग १०-१५ मिनट तक धोएँ। ४. यदि साँस द्वारा अन्दर गया हो तो रोगी को शुद्ध हवा में ला जावें। **लक्षण :** विस्तृत मायटोनिया, साँस लेने में कठिनाई, कंपकंपी मांसपेशियों की एडन हो सकते हैं। **उपयोग :** यह एक अन्तर्प्रवाही कीटकनाशक है। जिसका प्रयोग करार के माह, तेल, चुरदा, राफेद मक्खी, गन्ना की दीमक, आम का फुटका सुरजमुरखी का तेल, चुरदा, भिंडी का माह, तेल, अंगूर का फलिया, बीटल, तथा विष के तेल, एफिड, और चुरदा की रोकथाम के लिए किया जाता है।



Lic. No. LCIM0420220035

Batch No. : SMID-01

Date of Mfg. :

Exp. Date : Best Before 2 year from Mfg.

Net content Value : 250 ml.

M.R.P. Rs. : ₹1200/-

(Inclusive of all Taxes)

USP Rs. : ₹4.8 Per ml.

Shake Well before use.

नीम बीज गुद्दा आधारीत ई.सी.

अॅझडिरोक्टीन ०.१५% (१५०० पी.पी.एम.) न्यूतम (किटकनाशक)

सक्रिय घटकयुक्त संरचना निम गुद्दा एक्सट्रेक्ट	: ६०.००% भार/भार
(०.१५ प्रतिशत अॅझडिरोक्टीन युक्त वीरघळणारे मिथेनॉल)	
इमसलीकरण (पॉलीसॉरसेट २०)	: ०५.००% भार/भार
शोधीत निम का तेल	: ३५.००% भार/भार
एकूण	: १००.००% भार/भार

वापरतांना घ्यावयाची काळजी:-

१) पदार्थ भांडे तसेच जनावरांच्या चान्या पासून दूर ठेवावे. २) त्वचा व डोळे शी संपर्क टाळावा. ३) फवारणीच्या वेळेला श्वासाअंतर्गत शरीरात जाण्यापासून टाळावे. हवेच्या दिशेने फवारणी करावी. ४) फवारणी नंतर कपडे व हातपाय तोंड साफ धुवून टाकावे. ५) फवारणीच्या वेळी धुप्रपान, जेवण, तसेच पाणी आणि काही खाणे टाळावे. ६) फवारणीच्या वेळी पूर्ण सुरक्षात्मक कपडे घालावे.

विषनाशक : काही विशिष्ट विषनाशक नसून लक्षणानुसार इलाज करावा.

उपयोग : अॅझडिरोक्टीन ०.१५% ई.सी. एक आदर्श कीटकनाशक तत्व आहे जे कपाशी वर येणाऱ्या पांढरी माशी, बोंडअळी, मावा, तुडतुडे, खोडमाशी, पाने गुंडाळणारी अळी इत्यादी किटकांवर प्रभावशाली आहे.

वापर कसा करावा : ५ मिली साधना निम १५०० पी.पी.एम. १ लि. पाण्यामध्ये मिसळावे व झाडांवर व पानांवर तसेच फांद्यांवर फवारावे.

Regd. No. CIR-125734/2015

Neem Seed Kernel Based EC (containing AZADIRACTHIN) (353)-81

परवाना क्रमांक : LCIM0420220035

बॅच नं. : SN-01

वजन : 1000ml.

अधिकतम किरकोळ किंमत : 1600.00
(सर्व करांसहीत)

यु.एस.पी./ USP : 1.6 Per ml.

उत्पादनाची तारीख : 14/07/2025

Best Before 12 Months From Mfd.

SHAKE WELL BEFORE USE.

Neem seed kernel based EC containing
AZADIRACTHIN 0.15% EC (1500 ppm) min (insecticides)

SADHANA
NEEM
1500 PPM

सावधान
CAUTION

Neem seed kernel based EC containing

AZADIRACTHIN 0.15% EC (1500 ppm) min (insecticides)

Composition with active ingredients	
Neem Seed Kernel	: 60.00% W/W
Extract In Solvent (Methanol Containing 015% Azadirachtin)	
Emulsifier	: 5% W/W
(Polysorbate 20)	
Treated Neem Oil	: 35% W/W
Total	: 100% W/W

Precaution :

- 1) Keep away from foodstuff containers animals food.
- 2) Avoid contact with mouth, eyes and skin.
- 3) Avoid inhalation of spray mist. Spray in the direction of wide
- 4) Wash thoroughly the contaminated clothes and parts of the body after spraying.
- 5) Do not smoke, drink, eat and chew anything while spraying.
- 6) Wear full protective clothing while mixing and spraying.

Antidote : No specific antidote is know. treat symptomatically

Recommendation : Azadirachtin 0.15% EC pest control agent used for the control of while fly and bollworm of cotton and thrip, stem borer, brown plant sand leaf folder on paddy.

Direction of use : 5ml Sadhana Neem 1500 ppm mix with 1 Ltr. water and spray it well all leaves, branches of plant.

Manufactured & Marketed by :

KRISHI VIGYAN KENDRA

Durgapur (Badnera), Dist. Amravati.

Customer Care No. 9561956603



नीम बीज गुद्दा आधारित ई.सी.

अझाडिरीक्टिन ०.३% (३००० पी.पी.एम.) न्यूनतम (किटकनाशक)

अझाडिरीक्टिन (ए.आई.)

नीम तेल

इमल्सीफायर

पाली आक्सी

इथाइलीन सारबीटान
मोने लोरेट

०.३०% भार/भार कमीत कमी

१०.००% भार/भार

१०.००% भार/भार

साल्वेन्ट

पर्याप्त मात्रा % भार/भार

योग : १००.००% भार/भार

वापरतांना घ्यावयाची काळजी :-

१) पदार्थ भांडे तसेच जनावरांच्या चान्या पासून दूर ठेवावे. २) त्वचा व डोळे शी संपर्क टाळावा ३) फवारणीच्या वेळेला श्वासाअंतर्गत शरीरात जाण्यापासून टाळावे. हवेच्या दिशेने फवारणी करावी. ४) फवारणी नंतर कपडे व हातपाय तोंड साफ धुवून टाकावे. ५) फवारणीच्या वेळी धुम्रपान, जेवण, तसेच पाणी आणि काही खाणे टाळावे. ६) फवारणीच्या वेळी पूर्ण सुरक्षात्मक कपडे घालावे.

विशनाशक : काही विशिष्ट विशनाशक नूसन लक्षणानुसार इलाज करावा.

उपयोग : अजडीरेक्टिंग ०.३% ई.सी. एक आदर्श कीटकनाशक तत्व आहे जे कपाशी वर येणाऱ्या पांढरी माशी, बोंडअळी, मावा, तुडतुडे, खोडमाशी, पाने गुंडाळणारी अळी इत्यादी किटकांवर प्रभावशाली आहे.

वापर कसा करावा : ४ मिली साधना निम ३००० पी.पी.एम. १ लि. पाण्यामध्ये मिसळावे व झाडांवर व पानांवर तसेच फांद्यांवर फवारावे.

Regd. No.-CIR-149685/2018

Neem Seed Kernel Based EC (containing AZADIRACHTIN) (379)-784

F.No. 61323-F/9(4)2017

परवाना क्रमांक : LCIM0143

जीवाणुचे प्रमाण/मिली. :

बॅच नं. :

वजन : 1000 ml. (when packed)

अधिकतम किरकोळ किंमत : ₹ 1100/-

(सर्व करांसाठी)

उत्पादनाची तारीख :

Best Before 12 Months from Mfd.

SHAKE WELL BEFORE USE.

Neem seed kernel based EC containing
AZADIRACHTIN 0.3% EC (3000 ppm) min (insecticides)

SADHANA
NEEM
3000 PPM

सावधान
CAUTION

Neem seed kernel based EC containing

AZADIRACHTIN 3% EC (3000 ppm) min (insecticides)

Azadirachtin (a.i.)

0.30% w/w min.

Neem Oil

10.00% w/w

Emulsifier

(Polyoxyethylene
(20) Sorbitan
monoleate)

10.00% w/w

Solvent

Q.S % w/w

Total :

100.00% w/w

Precaution:

- 1) keep away from foodstuff containers animals food.
 - 2) avoid contact with mouth, eyes and skin.
 - 3) avoid inhalation of spray mist. Spray in the direction of wide
 - 4) wash thoroughly the contaminated clothes and parts of the body after spraying
 - 5) do not smoke, drink, eat and chew anything while spraying
 - 6) wear full protective clothing while mixing and spraying.
- Antidote: No specific antidote is know .treat symptomatically

Recommendation : Azadirachtin 0.3% Ec pest control agent used for the control of while fly and bollworm of cotton and thrip, stem borer, brown plant sand leaf folder on paddy.

Direction for use : 4ml Sadhana Neem 3000 ppm mix with 1 Ltr water and spray it well all leaves , branches of plant



Manufactured & Marketed by :

KRISHI VIGYAN KENDRA

Durgapur (Badnera), Dist. Amravati.

Customer Care No. - 0721-2580342



नीम बीज गुद्दा आधारित ई.सी.

अॅझाडिरीक्टीन १% (१०००० पी.पी.एम.) न्यूनतम (किटकनाशक)

अॅझाडिरीक्टीन (ए.आई.)	१.००% भार/भार न्यूनतम
नीम तेल	३०.००% भार/भार
एन ब्युटनॉल (सालवेन्ट)	३१.००% भार/भार
ब्युटिल अ सटेट (सालवेन्ट)	२३.००% भार/भार
इमल सफायर	१५.००% भार/भार
योग :	१००.००% भार/भार

वापरतांना घ्यावयाची काळजी:-

१) पदार्थ भांडे तसेच जनावरांच्या चान्या पासून दूर ठेवावे. २) त्वचा व डोळे शी संपर्क टाळावा ३) फवारणीच्या वेळेला श्वासाअंतर्गत शरीरात जाण्यापासून टाळावे. हवेच्या दिशेने फवारणी करावी. ४) फवारणी नंतर कपडे व हातपाय तोंड साफ धुवून टाकावे. ५) फवारणीच्या वेळी धुप्रपान, जेवण, तसेच पाणी आणि काही खाणे टाळावे. ६) फवारणीच्या वेळी पूर्ण सुरक्षात्मक कपडे घालावे.

विशनाशक : काही विशिष्ट विशनाशक नूसन लक्षणानुसार इलाज करावा.

उपयोग : अजडिरेक्टिंग १% ई.सी. एक आदर्श कीटकनाशक तत्व आहे जे कपाशी वर येणाऱ्या पांढरी माशी, बोंडअळी, मावा, तुडतुडे, खोडमाशी, पाने गुंडाळणारी अळी इत्यादी किटकांवर प्रभावशाली आहे.

वापर कसा करावा : २ मिली साधना निम १०००० पी.पी.एम. १ लि. पाण्यामध्ये मिसळावे व झाडांवर व पानांवर तसेच फांद्यांवर फवारावे.

Regd. No.-CIR-149686/2018

Neem Seed Kernel Based EC (containing AZADIRACHTIN) (379)-785

F.No. 61326-F/9(4)2017

परवाना क्रमांक : LCIM0143
जीवाणुचे प्रमाण/मिली. :
बॅच नं. :
वजन : 1000 ml. (when packed)
अधिकतम किरकोळ किंमत : ₹ 2100/-
(सर्व करांसहित)
उत्पादनाची तारीख :
Best Before 12 Months from Mfd.

SHAKE WELL BEFORE USE.

Neem seed kernel based EC containing
AZADIRACHTIN 1% EC (10000 ppm) min (insecticides)

SADHANA
NEEM
10000 PPM



Neem seed kernel based EC containing

AZADIRACHTIN 1% EC (10000 ppm) min (insecticides)

Azadirachtin (a.i.)	1.00% w/w min.
Neem Oil	30.00% w/w
N. Butanol (Solvent)	31.00% w/w
Butyl acetate (Solvent)	23.00% w/w
Emulsifier (Polyoxyethylene (20) Sorbitan monoleate)	15.00% w/w

Total : 100.00% w/w

Precaution:

- 1) keep away from foodstuff containers animals food.
- 2) avoid contact with mouth ,eyes and skin.
- 3) avoid inhalation of spray mist. Spray in the direction of wide
- 4) wash thoroughly the contaminated clothes and parts of the body after spraying
- 5) do not smoke ,drink, eat and chew anything while spraying
- 6) wear full protective clothing while mixing and spraying.

Antidote: No specific antidote is know .treat symptomatically

Recommendation : Azadirachtin 1% Ec pest control agent used for the control of while fly and bollworm of cotton and thrip, stem borer, brown plant sand leaf folder on paddy.

Direction for use : 2ml Sadhana Neem 10000 ppm mix with 1 Ltr water and spray it well all leaves , branches of plant



Manufactured & Marketed by :

KRISHI VIGYAN KENDRA

Durgapur (Badnera), Dist. Amravati.

Customer Care No. - 0721-2580342



Chemical Composition

Ingredient	Weight
Profenofos a.i.	40.00 % w/w
Cypermethrin a.i	4.00 % w/w
Caster Oil Poly glycol ether 36/40 grade	9.75 % w/w
Dodecyl Benzene sulfonic Acid calcium salt	5.25 % w/w
Soyabean Oil, poxydised	1.00 % w/w
Solvent C-IX	Q.S. %
Total	100 % w/w

Direction Of Use

Please read enclosed leaflet before use.

Precautions - 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

Antidote : 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4 mg. of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg. of atropine may be required in a day. The need for further atropine administration is guided by the continuance of symptoms. Extent of salivation is a useful criterion for dose adjustment. 2. Dissolve 1-2 gm of 2 PAM

in 10 ml distilled water and inject intravenously very slowly for 10-15 minutes. 3. Antihistamines may be given to control allergic manifestation.

First Aid - Please see enclosed Leaflet.

Symptoms- Please see enclosed Leaflet.

Recommendations - It is used to control Bollworm complex of cotton crops.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati. 444701
Customer Care No. 0721-2992244
pckvkda2015@gmail.com



CIR-273242/2023-Profenofos +
Cypermethrin (EC) (444)-1143
Profenofos 40% + Cypermethrin 4%E.C.
(Insecticide)

प्रोफेनोफॉस ४० प्रतिशत + सायरमेट्रिन ४
प्रतिशत ई. सी. (कीटनाशक)

SADHANA PRO/SUPER



Keep in cool, dry place away from heat and open flame.
Keep out of reach of children.

उपयोग के लिए दिशा-निर्देश

उपयोग से पहले संलग्न लीफलेट पढ़ें।

प्रयोगकर्ताओं के लिए सावधानियां -

१. खादसामग्री, खाद सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें।
२. मुँह, त्वचा और आँखों के सम्पर्क से बचायें।
३. छिड़काव की वाष्प को सांस द्वारा अन्दर जाने से बचायें। हवा की दिशा में छिड़काव करें।
४. छिड़काव के बाद दुषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएं।
५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए।
६. छिड़काव करते या प्रयोग समय पूर्ण सुरक्षात्मक कपड़े पहनें।

विष नाशक -

१. रोगी को तुरन्त एट्रोपिन दीजिए और इसकी २ से ४ मिग्रा. तक की खुराक ५ से १० मिनट के अन्तराल पर अन्तःशिरा द्वारा लगातार देते हुए पूर्ण एट्रोपिनाइज रखिए। एक दिन में एट्रोपिन सल्फेट की अधिक से अधिक २५ से ५० मिग्रा. तक की मात्रा की आवश्यकता पड़ सकती हैं। एट्रोपिन सल्फेट की और मात्रा लक्षणों के बरकरार रहते दी जा सकती हैं। एट्रोपिन की कितनी खुराक देनी चाहिए इसके लिए मुँह से निकलने वाली लार एक लाभदायक कसौटी हैं।
२. १ से २ ग्राम २ पी.ए.एम. १० मि.ली. आसुत जल में घोलकर अन्तःशिरा द्वारा बहुत धीरे धीरे १० से १५ मिनट में देना चाहिए। ३. एलर्जी के लिए एन्टीहिस्टैमिन्स दिये जा सकते हैं।

प्राथमिक चिकित्सा - कृप्या संलग्न लीफलेट देखें।

लक्षण - कृप्या संलग्न लीफलेट देखें।

उपयोग - इसका उपयोग कपास की डोडे की सुंडियों की रोकथाम के लिये किया जाता है।



Lic. No. LCIM0420220035

Batch No. : SPR-01

Date of Mfg. :

Exp. Date : Best Before
2 Year from Mfg.

Net content Value : 1000 ml.

M.R.P. Rs. : 1450/-

(Inclusive of all Taxes)

Shake Well before use.



Chemical Composition :

S.No.	Ingredient	Weight
1.	Isopropyl amine salt of Glyphosate a.i.	40.60% w/w
2.	Manufacturing Impurities	4.00% w/w
3.	Water	Q.S.% w/w
4.	Surfactant Inert Poly oxy ethylene amine	15.00% w/w
	Total	100% w/w

Regn. No. : CIR-273246/2023-Glyphosate (SL) (444)-1370

Mfg. Lic. No. : LCDFD100102

Batch No. : SR-01

Mfg. Date :

Exp. Date :

Net Content : 1 Litre

Volume

Max. Retail Price : 800/-
(Inclusive All Taxes)



KEEP OUT
OF REACH
OF CHILDREN

बच्चों की पहुँच
से दूर रखें
सूखी और ठण्डी जगह पर आग से दूर रखें
Keep in cool, dry place away from
heat and open flame



Manufactured & Marketed by :



KRISHI VIGYAN KENDRA

Durgapur (Badnera), Dist. Amravati-444701

Customer Care No. 0721-2992244

pckvkda2015@gmail.com



GLYPHOSATE 41% S.L. (I.P.A. Salt)

Sadhana Runup HERBICIDE

Direction of Use : Please read enclosed leaflet before use.

Precautions :

1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

Antidote: No Specific antidote is known. Treat symptomatically.

First Aid : Please see enclosed Leaflet.

Symptoms : Please see enclosed Leaflet.

Recommendations : It is used to control of weeds of tea and non crop areas.

ग्लायफोसेट ४१% एस.एल (आय.पी.ए. सॉल्ट)

साधना रनअप खरपतवारनाशक

रासायनिक संरचना:

अइसो प्रोपाइल अमीन साल्ट आफ ग्लायफोसेट स.त. ४०.६०% भार/भार, मैनयूफैक्चरिंग इम्प्यूरिटीज ४.००% भार/भार, पानी - पर्याप्त मात्रा% भार/भार, सर्फेक्टन्ट निष्क्रिय पाली आकसी इथाइलीन अमीन १६.००% भार/भार, कुल - १००% भार/भार

उपयोग के लिए दिशा-निर्देश : उपयोग के पहले संलग्न लीफलेट पढ़ें।

प्रयोगकर्ताओं के लिए सावधानियां :



१. खाद्यसामग्री, खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें। २. मुँह त्वचा और आँखों के सम्पर्क से बचायें। ३. छिड़काव की वाष्प को साँस द्वारा अन्दर जाने से बचायें। हवा की दिशा में छिड़काव करें। ४. छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएं। ५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए। ६. छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।

विषनाशक : कोई विशिष्ट विषनाशक नहीं है। लक्षणानुसार इलाज करें।

प्राथमिक चिकित्सा : कृपया संलग्न लीफलेट देखें।

लक्षण : कृपया संलग्न लीफलेट देखें।

उपयोग : यह खरपतवार नाशक का उपयोग चाय, तथा बिना फसल भूमि में उगने वाली खरपतवार की रोकथाम के लिये किया जाता है।



GLYPHOSATE 41% S.L. (I.P.A. Salt)

SADHANA SITARA

Precautions - 1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying

Antidote : No specific antidote is known. Treat symptomatically.

First Aid - 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. (2) If clothing and skin are contaminated, remove the cloths and wash the contaminated skin with copious amount of soap and water. (3.) If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.

Symptoms - Decrease spontaneous movement, tonic convulsion, ptosis may occur.

Recommendations - Thiamethoxam 25 % WG is broad spectrum systemic insecticide having quick stomach and contact action and is recommended for its use to control Stem Borer, Gall Midge, Leaf Folder, Brown plant hopper, (BPH), White Backed Plant Hopper (WBPH), Green Leaf Hopper (GLH), Thrips on Rice; jassids, aphids and whiteflies in cotton; hoppers in mango; aphids in Wheat; aphids in Mustard; Whiteflies in Tomato; Whiteflies, Jassids in Brinjal; mosquito bug in Tea & aphids in Potato, Psylla in citrus, Aphid in Cumin and GLH thrips, short maggot in Rice (Nursary), white flies in Tomato (soil drenching).

Keep in cool, dry place away from heat and open flame.
Keep out of reach of children.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati. 444701
Customer Care No. 0721-2992244
pckvkda2015@gmail.com



CIR-336601/2023-Thiamethoxam (WG) (451)-1650
Thiamethoxam 25% WG (Insecticide)

SADHANA SitarA

Ingredient	Weight
Thiamethoxam a. i.	25.00 % w/w
Dispersing Agent Sodium Lignosulphate	5.00 % w/w
Wetting Agent Sodium Lauryl Sulphate	3.75 % w/w
Plasticiser-Butylated Polyvinyl Pyrrolidone	1.25 % w/w
Carrier Diatomaceous earth	5.00 % w/w
Binder corn starch	Q.S % w/w
TOTAL -	100 % w/w

सावधानी

१. अन्नपदार्थ, रिकामे अन्नपदार्थ आणि प्राण्यांच्या अन्नापासून दूर ठेवा. २. तोंड, डोळे आणि त्वचेचा संपर्क टाळा. ३. मिस्ट इनहेलेशन टाळा. वाऱ्याच्या दिशेने फवारणी करावी. ४. फवारणीनंतर दूषित कपडे आणि शरीराचे काही भाग धुवा. ५. फवारणी करताना धुम्रपान, मद्यपान, खाऊ आणि काहीही चावू नका. ६. मिश्रण आणि फवारणी करताना संरक्षणात्मक कपडे घाला.

उतारा : कोणताही विशिष्ट उतारा ज्ञात नाही. लक्षणात्मक उपचार करा.

प्रथमोपचार - १. गिळल्यास, घशाच्या मागील बाजूस गुदगुल्या करून उलट्या करा. उलट्या स्पष्ट होईपर्यंत ते पुन्हा रुग्ण बेशुद्ध असल्यास उलट्या करण्यास प्रवृत्त करू नका. २. कपडे आणि त्वचा दूषित असल्यास, कापड काढून आणि दूषित त्वचा भरपूर प्रमाणात साबण आणि पाण्याने धुवा. ३. डोळे दूषित असल्यास, १० ते १५ मिनिटे खारट/स्वच्छ पाण्याने धुवा. ४. श्वास घेतल्यास, रुग्णाला ताजी हवेत काढा.

लक्षणे - उत्स्फूर्त हालचाल कमी होणे, टॉनिक कंलशन, होऊ शकते.

शिफारशी - थायामेथॉक्सम २५ % डब्ल्यूजी हे ब्रॉड स्पेक्ट्रम सिस्टिमिक कीटकनाशक आहे ज्यामध्ये पोट आणि संपर्क लवकर क्रिया होते आणि स्टेम बोअर, गॅल मिज, लीफ फोल्डर, ब्राऊन प्लॉट हॉपर, (BPH), व्हाईट बॅकड प्लॉट (WBPH), नियंत्रित करण्यासाठी वापरण्याची शिफारस केली जाते. ग्रीन लीफ हॉपर (GLH), थ्रीप्स ऑन राईस, कापूस मध्ये, आणि आंबा मध्ये, गहू मध्ये ऍफिडस, मोहरी मध्ये ऍफिडस, टोमॅटो मध्ये ; वांग्यातील पांढरी माशी, जस बटाट्यामध्ये चहा आणि ऍफिडस, लिंबूवर्गीय सायला, जिरे आणि जीएलएच थ्रीप्समध्ये ऍफिड, तांदूळ (नर्सरी) मध्ये मॅंगट, टोमॅटोमध्ये पांढरी माशी (माती भिजवणे) मच्छर बग.



Lic. No. LCIM0420220035

Batch No. : STRA-01

Date of Mfg. :

Net content Value : 500 gm.

M.R.P. Rs. : Rs. 1250/- (Inclusive of all Taxes)

Exp. Date : Best Before 2 Year from Mfg.

Shake Well before use



SADHANA Thiamethoxam

S. No	Ingredient	Description	Weight
1	Thiamethoxam a. i.		30.00 % w/w
2	Glycerine		5.10 % w/w
3	Monazo dye	(Irgalith Red C2 B)	3.40 % w/w
4	Copolymer of butanol		4.30 % w/w
5	1,2 -Benzisothiazole-3-one		0.20 % w/w
6	Polyethylene glycol		2.60 % w/w
7	Water		Q.S % w/w
	TOTAL -		100 % w/w

Direction Of Use : Read Enclosed Leaflet Carefully Before Use.

Precautions : Do Not Use Cooking Utensils For Preparing Slurry. Use Stick for Stirring The Slurry Solution. Avoid Contact With Skin, Eyes And Clothing. Avoid Inhalation Of Odour And Vapours. Wear Handgloves To Avoid Contact With The Skin. Wear Protective Clothing, Mask Goggles, And Boots, While Mixing. Do Not Eat, Drink Or Smoke While Handling Or Applying The product. Wash Hands With Soap And Plenty Of Water And Change Clothes After The Work Is Over. Also Wash The Contaminated Clothes.

Antidote : No Specific Antidote is Known. Apply Symptomatic Therapy.

First Aid : Remove The Affected Person To A Well-ventilated Area Or Fresh Air And Protect Him From Overcooling. In Case Of skin contact: remove contaminated clothing and thoroughly Wash The Affected Parts Of The Body With Soap And Water.

In Case Of Eye Contact: Rinse Eyes With Clean Water For Several Minutes.

In case of ingestion : Repeatedly Administer Medical Charcoal In A Large Quantity Of Water.

Note : Never Give Anything By Mouth To An Unconscious Person. Do Not Induce Vomiting.

Symptoms : Poisoning may cause symptoms of decrease in spontaneous movement, toxic convulsion and ptosis.

Recommendations : Recommended as seed treatment to control Jassids, aphids and Whitefly in cotton, shoot fly on sorghum and Maize, termites in wheat, jassid in okra, Thrips, GLH and Whorl Maggot in rice, jassid and thrips in sunflower, stem fly in soybean and thrips in chilli crop.

Keep in cool, dry place away from heat and open flame.

Keep out of reach of children.



Manufactured & Marketed by :
KRISHI VIGYAN KENDRA
Durgapur, (Badnera), Dist. Amravati. 444701
Customer Care No. 0721-2992244
pckvkda2015@gmail.com



CIR-336599/2023

Thiamethoxam (FS) (451)-1492

Thiamethoxam 30% FS (Systemic Insecticide)

SADHANA Thiamethoxam



वापरण्याची दिशा: वापरण्यापूर्वी संलग्न पत्रक काळजीपूर्वक वाचा.

खबरदारी : स्लरी तयार करण्यासाठी स्वयंपाकाची भांडी वापरू नका. स्लरी सोल्युशन ढवळण्यासाठी स्टिक वापरा. त्वचा, डोळे आणि कपड्यांशी संपर्क टाळा. ओगंड वाष्पांच्या विसर्जन टाळा. वेअरहँडग लव्हेस्टो द स्किनशी संपर्क टाळा. मिक्सिंग करताना संरक्षणात्मक कपडे, मास्क गॉगल आणि बूट घाला. उत्पादन हाताळताना किंवा लागू करताना खाऊ नका, पिऊ नका किंवा धूम्रपान करू नका. साबणाने आणि भरपूर पाण्याने हात धुवा आणि कपडे बदला आणि काम संपले. तसेच दूषित कपडे धुवा. उतारा: विशिष्ट प्रतिपिंड ज्ञात नाही. लक्षणात्मक थेरपी लागू करा.

प्रथमोपचार : बाधित व्यक्तीला हवेशीर भागात ताजे हवेत घेऊन जा आणि थंड होण्यापासून त्याचे संरक्षण करा. त्वचेच्या संपर्कात: दूषित कपडे काढून टाका आणि शरीराचे प्रभावित भाग साबण आणि पाण्याने पूर्णपणे धुवा. **डोळ्यांच्या संपर्कात:** काही मिनिटांसाठी डोळे स्वच्छ पाण्याने स्वच्छ धुवा.

नांगरणे : मोठ्या प्रमाणात पाण्यात वैद्यकीय चारकोल वारंवार द्या. **टीप:** बेशुद्ध व्यक्तीला बायमाउथ काहीही देऊ नका. उलट्या प्रवृत्त करू नका.

लक्षणे : विषबाधामुळे उत्स्फूर्त हालचाल कमी होणे, विषारी आक्षेप आणि ही लक्षणे दिसू शकतात. **शिफारशी :** जस्सीड्स, कपाशीमध्ये ऍफिडसँड व्हाईटफ्लाय, ज्वारी आणि मक्यावरील माशी, गव्हातील दीमक, भेंडीमध्ये जॅसिड, थ्रीप्स, जीएलएच आणि व्होर्ल मॅगगोटिन तांदूळ, सूर्यफुलामध्ये जॅसिड आणि थ्रीप्स, स्टॅम आणि स्टॅम्समध्ये बीजप्रक्रिया म्हणून शिफारस केली जाते. मिरची पिकात.



Lic. No. LCIM0420220035

Batch No. : STM-01

Date of Mfg. :

Exp. Date :

Net content Value : 1000 ml.

M.R.P. Rs. : Rs. 2050/-

(Inclusive of all Taxes)

Shake Well before use.





साधना ट्रायको

(ट्रायकोडर्मा व्हिरिडी 1.5% W.P.)

CFU Count : 2×10^6 / gm min.

**प्रभावी जैविक बुरशीनाशक
सर्व पिकांसाठी उपयुक्त**



Net Wt.
1 Kg.

उत्पादक व पैकिंग



कृषी विज्ञान केंद्र
दुर्गापूर (बडनेरा), जि. अमरावती





SADHANA **STIN**

CARBENDAZIM 50% WP

KRISHI VIGYAN KENDRA

Chemical Composition :

Carbendazim Tech.

(based on 98% w/w min.) 51.00 % w/w

Surface active agent-Alkyl

aryl sulfonate 2.00 % w/w

Dispersing agent- Alkyl

naphthyl sulfonate 2.00 % w/w

Sticking agent-Glue/CMC 2.00 % w/w

Inert carrier - China clay 43.00 % w/w

TOTAL : 100% W/W

FOR AGRICULTURE USE ONLY

The product is dangerous if ingested, comes into contact with skin, or is inhaled, and can lead to chemical burns.



If swallowed or symptoms of poisoning occur, call a physician immediately.
KEEP OUT OF REACH OF CHILDREN

केवल कृषि उपयोग के लिए
यदि निगल लिया जाए, त्वचा के संपर्क में आ जाए,
या साँस के साथ ले लिया जाए तो यह
उत्पाद खतरनाक है और इससे
रासायनिक जलन हो सकती है।

यदि निगल लिया
जाए या विषाक्तता के लक्षण
घटित हो तो तुरंत चिकित्सक को बुलाएँ।
बच्चों की पहुँच से दूर रखें।



SYSTEMIC FUNGICIDE



SADHANA REDOMI

METALAXYL-M 4% + MANCOZEB 64% WP

KRISHI VIGYAN KENDRA


Chemical Composition :

Metalaxyl-M a.i.	4.00 % w/w
Mancozeb a.i.	64.00 % w/w
Sodium lignosulfonate	
Wetting and dispersing agent	2.00 % w/w
Dibutyl naphthalene sulfonic acid	
Sodium salt	2.00 % w/w
Precipitated silica Filler	QS %w/w

TOTAL : 100% W/W

FOR AGRICULTURE USE ONLY

The product is dangerous if ingested, comes into contact with skin, or is inhaled, and can lead to chemical burns.



If swallowed or symptoms of poisoning occur, call a physician immediately.
KEEP OUT OF REACH OF CHILDREN

केवल कृषि उपयोग के लिए
यदि निगल लिया जाए, त्वचा के संपर्क में आ जाए,
या साँस के साथ ले लिया जाए तो यह
उत्पाद खतरनाक है और इससे
रासायनिक जलन हो सकती है।

यदि निगल लिया जाए या विषाक्तता के लक्षण घटित हो तो तुरंत चिकित्सक को बुलाएँ।
बच्चों की पहुँच से दूर रखें।



SYSTEMIC AND CONTACT FUNGICIDE

Chemical Composition : Metalaxyl-M a.i. 4.00 % w/w Mancozeb a.i. 64.00 % w/w Sodium lignosulfonate Wetting and dispersing agent 2.00 % w/w Dibutyl naphthalene sulfonic acid Sodium salt 2.00 % w/w Precipitated silica Filler QS %w/w, Total 100 % w/w. **Direction Of Use :** Measure out the required quantity of the product and mix it with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare when high volume spray equipments such as knapsack sprayers, hand compression sprayers are used. It is also suitable for low volume application with motorized knapsack sprayers, mist blowers etc. with flood jet nozzle. **Precautions :** Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eyes. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use. Wash hands with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc., by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them. Do not spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected. In case of any sign of poisoning, immediately consult the doctor. Antidote : No specific antidote is known, apply symptomatic therapy. **First Aid :** In case of poisoning, call a physician immediately. In case of poisoning by ingestion through mouth, victim should be induced to vomit. In case of external contamination wash off contamination by soap water and remove the contaminated clothes and keep the victim in fresh air. In case of eye contamination, flush with plenty of water. **Symptoms :** Poisoning may cause symptoms of sedation, dyspnoea, exophthalmus, curved posture, ruffled fur, headache, giddiness, vertigo, nausea, vomiting, blurred vision and sweating. **Recommendations :** Metalaxyl-M 4% + Mancozeb 64% WP used for controlling downy mildew of Grapes, Late blight of potato, foot rot of black pepper and downy mildew & white rust of mustard crop. **Caution :-** Toxic to fish and aquatic invertebrates, its use should be avoided in and around aquaculture.

रासायनिक संरचना : मेटलैक्सिल-एम (मैफनोक्साम) स.त. ४.०० % भार/भार मैकोजेब स.त. ६४.०० % भार/भार सोडियम लिग्नोसल्फोनेट नमीकरण व छिटराने वाले पदार्थ सोडियम सॉल्ट २.०० % भार/भार डाईब्यूटिलनैफथेलिन सलफोनिनक आम्ल प्रेसिपिटेड सिलिका फिलर २.०० % भार/भार पर्याप्त मात्रा % भार/भार कुल १००% भार/भार. **उपयोग के लिए दिशा-निर्देश :** उत्पाद की लिखित मात्रा लीजिए और उसे थोड़े से पानी के साथ अच्छी तरह से मिलाइए। निर्दिष्ट मात्रा को बाकी पानी में अच्छी तरह से हिलाकर मिला लीजिए तथा किसी भी योग्य स्प्रेयर से पूरी फसल में छिड़काव कीजिए। **प्रयोगकर्ताओं के लिए सावधानियां :** स्प्रे तैयार करने के लिये खाना पकाने वाले बर्तनों का इस्तेमाल नहीं करना चाहिए। स्प्रे के घोल को हिलाने के लिये लकड़ी का उपयोग करें। त्वचा से स्पर्श के बचाव के लिये दस्ताने पहनें। सांस के साथ अन्दर लेने और आँखों के सम्पर्क से भी बचें। स्प्रे करते समय सुरक्षात्मक कपड़े जैसे कि मास्क, चश्मा, बूट्स आदि पहने और स्प्रे की फुहार के सामने न आये। नाजल्स में मुँह से फूक न मारे, उठाते, रखते, प्रयोग करते समय खाना, पीना या धुम्रपान नहीं करना चाहिए। बाकि बचे स्प्रे घोल का भण्डारण न करें। प्रतिदिन प्रयोग के बाद स्प्रेयर, बालटियों तथा अन्य बर्तनों को पानी से धोएँ। कार्य समाप्त होने के बाद हाथों को पर्याप्त पानी व साबुन से धोइए। बची हुई स्प्रे सामग्री को झरनों, तालाबों, नहरों आदि में बहाकर या स्प्रेयर्स दूषित बालटियों आदि को उनमें धोकर उनको दूषित न करें। यदि मधुमक्खियाँ सक्रिय हो तो छिड़काव न करें। यदि विष चढ़ने का कोई भी चिह्न दिखाई दे तो तुरन्त डॉक्टर से सम्पर्क करें। **विष नाशक :** कोई विशेष प्रतिविष नहीं। लक्षणों के अनुसार उपचार करें। **प्राथमिक चिकित्सा :** जहर के लक्षण दिखाई देते ही डॉक्टर को बुलाइए। यदि बदन पर छीटे पड़ जायें तो उन्हें साबुन मिश्रित पानी से धो डालिये और दूषित कपड़े को उतारकर हवा में रखिए। जहर के मुँह के अन्दर जाने की स्थिति में उलटी कराने की कोशिश करें। आयों में चले जाने पर आयों को कुछ देर तक साफ पानी से छेछेयाइए। **लक्षण :** जहर के प्रभाव के निम्नलिखित लक्षण चूँहों में देखे गये हैं। अवसादन, कष्ट बास, नेत्रोत्स्रेध, आगे की ओर मुँह हुआ, अस्त व्यस्त फर, सिर दर्द, चक्कर आना, डरना, मिचलना, उल्टी आना, धुंधला दिखाई देना एवं पसीना आना आदि। **उपयोग :** जिसे अंगूर की चुणिल आसिता रोग आलू की पछेती अंगमारी, काली मिर्च के फुट रोट व सरसों फसल के मृदुरोमिल आसिता व सफेद विगलन रोगों के नियंत्रण में प्रयोग किया जाता है। सावधान मछली और जलीय जंतुओं के लिए विषाक्त है इसलिए इसका प्रयोग जलीय जीवों के पालने के जगह न करें।

KEEP OUT OF THE
REACH OF CHILDREN
बालबच्चों की पहुँच से दूर रखें
मुलांपासून दूर ठेवा



పిల్లలకు అందకుండా
దూరంగా వుంచవలెను.
సుశుభ్ర శ్రేణిదంతే
దూరవిడలుమరయుబిండి
వసతిలో చీ పగుల తే చూర రథే



Regd. No. : CIR-274626/2023-Metalaxyl-M + Mancozeb (WP) (444)-73
Mfg. Lic. No. : LCIM0420220035

WARRANTY : Since the use of the product is beyond our control. We cannot assume any responsibility other the uniform quality of the product.

WARNING : Do not use near water sources.

KEEP IN COOL, DRY PLACE AWAY FROM HEAT AND OPEN FLAME.

सूखी और ठंडी जगह पर आग से दूर रखें ।

Manufacture & Marketed by :



KRISHI VIGYAN KENDRA

Durgapur, (Badnera), Dist. Amravati-444701.

Customer Care : 0721-2992244

E-mail : pckvkda2015@gmail.com



NET CONTENT : 500 gm.

Batch No. :

बैच नंबर

Mfg. Date :

उत्पादन तिथि

Exp. Date :

अंतिम तिथि

M.R.P. Rs. :

(Incl. of all taxes)

अधिकतम खुदरा मूल्य

USP/GM Rs. :



EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE



SADHANA SAF +

CARBENDAZIM 12% + MANCOZEB 63% WP

KRISHI VIGYAN KENDRA

Chemical Composition :

Carbendazim Technical (based on 98% w/w a.i.)	12.25 %w/w
Mancozeb Technical (based on 85%w/w a.i.)	74.12 %w/w
Sodium Salt of alkylaryl sulfonate	2.00 %w/w
Sodium Salt of alkyl naphthyl sulfonate	2.00 %w/w
Keolin	9.63 %w/w

TOTAL : 100% W/W

FOR AGRICULTURE USE ONLY

The product is dangerous if ingested, comes into contact with skin, or is inhaled, and can lead to chemical burns.

CAUTION

If swallowed or symptoms of poisoning occur, call a physician immediately.
KEEP OUT OF REACH OF CHILDREN

केवल कृषि उपयोग के लिए
यदि निगल लिया जाए, त्वचा के संपर्क में आ जाए,
या साँस के साथ ले लिया जाए तो यह
उत्पाद खतरनाक है और इससे
रासायनिक जलन हो सकती है।

यदि निगल लिया जाए या विषाक्तता के लक्षण घटित हो तो तुरंत चिकित्सक को बुलाएँ।
बच्चों की पहुँच से दूर रखें।



FUNGICIDE

EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE



SADHANA **PRIDE**

ACETAMIPRID 20% SP

KRISHI VIGYAN KENDRA



INSECTICIDE

ACETAMIPRID 20% SP

Chemical Composition : Acetamiprid a.i. 20.00% w/w, Blend of sodium Dodecyl bebnene sulfonate 4.50%, Sodium sulphate & sodium alkylate mixture % w/w, Sodium citrate, Dihydrate 30.00% w/w, Calcium hydrogen Phosphate dihydrate 0.10% w/w, Colouring agent (brilliant blue) 0.05% w/w, Lactose Monohydrate Q.S. %, Total : 100.00% w/w. **Direction For Use :** Please read enclosed leaflet before use. **Precaution :** (1) Keep away from foodstuffs, empty foodstuff containers and animals food. (2) Avoid contact with mouth, eyes and skin. (3) Avoid inhalation the spray mist. Spray in the direction of wind. (4) Wash thoroughly the contaminated clothes and part of the body after spraying. (5) Do not smoke, drink, eat and chew anything while Spraying. (6) Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **First Aid :** Please see enclosed Leaflet. **Symptoms :** Please see enclosed Leaflet. **Recommendations :** Acetamiprid 20% SP is a systemic insecticide for the control of aphids, jassids and whiteflies in cotton crop, thrips in chilli, BPH in paddy, aphids in cabbage and okra.

एसिटामिप्रिड २०% एसपी

रासायनिक संरचना : एसिटामिप्रिड सक्रिय तत्व २०.०० भार/भार, सोडियम डोडिसाईल, बेन्जीन सल्फोनेट ४.५० भार/भार, सोडियम सल्फोनेट ऐन्ड सोडियम एल्केलाईट % सोडियम साइट्रेट, डाइहाइड्रेट ३०.०० भार/भार, कैल्शियम हाइड्रोजन, फोस्फेट डाइहाइड्रेट ०.१० भार/भार, रंग लानेवाले घटक (ब्रिलियन्ट ब्लू) ०.०५ भार/भार, लैक्टोज मोनोहाइड्रेट पर्याप्त मात्रा % योग : १००.०० भार/भार. **उपयोग के लिये निर्देश :** उपयोग के लिये संलग्न लीफलेट पढ़ें। प्रयोगकर्ताओं के लिये सावधानियाँ : १. खाद्यसामग्री, खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें। २. मुँह, त्वचा और आँखों के सम्पर्क से बचायें। ३. छिड़काव की बाष्प को साँस द्वारा अन्दर जाने से बचाये। हवा की दिशा में छिड़काव करें। ४. छिड़काव के बाद दुषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएँ। ५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए। ६. छिड़काव करते या प्रयोग समय पूर्ण सुरक्षात्मक कपड़े पहनें। **विषनाशक :** कोई विशिष्ट विषनाशक नहीं है लक्षणानुसार इलाज करें। **प्राथमिक चिकित्सा :** कृपया संलग्न लीफलेट देखें। **लक्षण :** कृपया संलग्न लीफलेट देखें। **उपयोग :** इस कीटनाशक का प्रयोग कपास पर आनेवाले तेल, माहू और सफेद मखड़ी, मिर्च पर चुरदा, धान पर भूरा फुदका, माहु की रोकथाम के लिये किया जाता है।



DESTROY THE CONTAINER/PACK AFTER USE AS DIRECTED ON LEAFLET.

REGD. No. : CIR-265150/2023-
Acetamiprid (SP) (444)-1106
Mfg. Lic. No. : LCIM0420220035

Batch No. :

बैच नंबर

Mfg. Date :

उत्पादन तिथि

Exp. Date :

अंतिम तिथि


M.R.P. Rs. :

(Incl. of all taxes)

अधिकतम खुदरा मूल्य

USP/GM Rs. :

NET CONTENT : 250 gm.



KEEP IN COOL, DRY PLACE AWAY FROM HEAT & OPEN FLAME.

सूखी और ठंडी जगह पर आग से दूर रखें।

WARRANTY : Since the use of the product is beyond our control.

We cannot assume any responsibility other than uniform quality of the product.

WARNING : Do not use near water sources.

FOR AGRICULTURE USE ONLY

CAUTION : NOT TO BE USED ON CROPS OTHER THAN SPECIFIED ON THIS LABEL / LEAFLET.

Manufacture & Marketed by :



KRISHI VIGYAN KENDRA

Durgapur, (Badnera), Dist. Amravati-444701.

Customer Care : 0721-2992244

E-mail : pckvkda2015@gmail.com

